



AGRICULTURAL SEATING



OFF ROAD SEATING MANUFACTURER



UnitedSeats for agricultural equipment and vehicles

“We unite your seat”



UnitedSeats is a worldwide manufacturer of off road seating solutions for the industrial, agricultural, construction and marine sectors. All seats are produced under contract for us in a state of the art modern 75,000 m² facility using the latest manufacturing techniques.

We are based in Zwijndrecht, the Netherlands, from where we supply a portfolio of OEMs and a dealer network around the world. UnitedSeats remains committed to innovation, providing seating products and supported by excellent sales and service support.

Our in-house design capability allows us to tailor products for OEM and dealer specification. Our range comprises a selection of air and mechanical suspensions which are both high profile and low profile, importantly for small and compact agricultural machines.

These suspensions can be combined with a wide selection of seat uppers and seat pans. Our skill is ‘Uniting your seat’.









Our main agricultural seats are robust and easy to operate and meet EEC 78/764 class 1/2/3 type approvals for farm tractors and forestry machines. Our standard range accommodates driver weight range up to 130 kgs and heavy duty versions to accommodate 150 kgs are available. All our suspension seats meet ISO 6683 seat belt strength approval, ISO 7096 construction approval, and all SIP dimensions are according to ISO 5353.

UnitedSeats has a wide range of accessories, such as safety critical items, like seat belts and seat switches. Special armrests and pods are available to carry joystick controls for various machines. A wide variety of spare parts such as dampers and cushions can be supplied.

Above all, our priority is to supply seating solutions to maintain the health and safety of the operator. We also emphasize the need to maintain and repair damaged seats to prevent injury.

At UnitedSeats we've got your back!

We have seats for the following machinery:

-  Large tractor 100HP+
-  Medium tractor 60 - 100HP
-  Small tractors 30 - 60HP
-  Compact tractors & vineyard tractors
-  Combine harvester
-  Crop sprayer
-  Large ride on mower
-  Compact & small ride on mower
-  Telescopic handler

Focus product range

RANCHER PRO

UnitedSeats presents a new low back AIR seat: the Rancher Pro for agricultural, construction and industrial machines. It features integrated controls and powered adjustment for weight and height settings. Its cushions provide optimal comfort for the operator and the seat has a wide range of adjustments to improve cab ergonomics. For farmers the 20 degree swivel feature assists with rear view activities such as ploughing as well as helping with ingress/egress of the tractor cab.



RANCHER STD





STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Weight adjustment**
50 - 135 kg


-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**

-  **Slide rail travel**
210 mm


-  **Backrest adjustment**


-  **Lumbar support**

-  **Headrest & armrests**

-  **Turn table 20°/20° swivel**

SEAT MEASUREMENTS



 Adjustable damper





Seat is also available in PVC trim
Seat meets E5 & E11 - ISO 6683 & IWG 78/764


RANCHER ECO





STANDARD FEATURES


-  **Air suspension**
120 mm suspension travel


-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless


-  **Fore/aft isolator**

-  **Slide rail travel**
210 mm

-  **Backrest adjustment**

-  **Armrests**

SEAT MEASUREMENTS



Seat is also available in PVC trim
Seat meets E5 & E11 - ISO 6683 & IWG 78/764

RANCHER MEC



STANDARD FEATURES

-  **Mechanical suspension**
120 mm suspension travel

-  **Weight adjustment**
50 - 135 kg


-  **Slide rail travel**
210 mm

-  **Backrest adjustment**

-  **Adjustable lumbar support**

-  **Armrests**

SEAT MEASUREMENTS



SIP: 360 mm




Seat is also available in PVC trim

Seat meets E5 & E11 - ISO 6683 & IWG 78/764

LGV90/C1





STANDARD FEATURES


-  **Air suspension**
120 mm suspension travel

-  **Weight adjustment**
50 - 130 kg


-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**

-  **Slide rail travel**
200 mm


-  **Backrest adjustment**

-  **Lumbar support**

-  **Armrests**

-  **Headrest**


SEAT MEASUREMENTS



SIP: 320 mm

OPTIONAL FEATURES

On photo




Seat is also available in PVC trim


Seat meets E5 & E11


LGV90/C2 TT





STANDARD FEATURES


-  **Air suspension**
120 mm suspension travel


-  **Weight adjustment**
50 - 130 kg


-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**


-  **Slide rail travel**
150 mm

-  **Backrest adjustment**

-  **Armrests**

-  **Turntable**

SEAT MEASUREMENTS



Seat is also available in PVC trim
Seat meets E5 & E11

LGV90/C2 PRO



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**

-  **Slide rail travel**
200 mm


-  **Backrest adjustment**

-  **Lumbar support**

-  **Armrests**

-  **Headrest**

SEAT MEASUREMENTS





Seat is also available in PVC trim
Seat meets E5 & E11


MGV120/C8 PRO





STANDARD FEATURES


-  **Mechanical suspension**
100 mm suspension travel


-  **Weight adjustment**
50 - 150 kg

-  **Slide rail travel**
200 mm


-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**

-  **Lumbar support**

-  **Headrest**

SEAT MEASUREMENTS



Seat is also available in PVC trim
Seat meets ISO 6683 & IWG 78/764

OPTIONAL FEATURES


On photo


-  **Armrests**


LGV120/C8 PRO





STANDARD FEATURES


-  **Air suspension**
100 mm suspension travel


-  **Weight adjustment**
50 - 150 kg

-  **Slide rail travel**
200 mm


-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**

-  **Lumbar support**

-  **Headrest**

SEAT MEASUREMENTS



Seat is also available in PVC trim

OPTIONAL FEATURES

On photo


-  **Armrests**




HIGHLANDER PRO

STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless


-  **Fore/aft isolator**

-  **Slide rail travel**
210 mm



-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**

-  **Lumbar support**

-  **Adjustable damper**

SEAT MEASUREMENTS



Seat is also available in PVC trim
Seat meets E5 & E11 - ISO 6683 & IWG 78/764



HIGHLANDER STD

STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless

-  **Fore/aft isolator**

-  **Slide rail travel**
210 mm


-  **Backrest adjustment**

-  **Lumbar support**

-  **Adjustable damper**


-  **Headrest & armrests**

SEAT MEASUREMENTS




OPTIONAL FEATURES


On photo



Seat is also available in PVC trim
Seat meets E5 & E11 - ISO 6683 & IWG 78/764



Also available in retro brown



CS85/C1 AR

STANDARD FEATURES

-  **Mechanical suspension**
90 mm suspension travel

-  **Weight adjustment**
50 - 125 kg

-  **Height adjustment**
60 mm in 3 stages

-  **Slide rail travel**
150 mm


-  **Backrest adjustment**

-  **Lumbar support**

-  **Armrests**

-  **Headrest**

SEAT MEASUREMENTS



OPTIONAL FEATURES


On photo





Seat is also available in PVC trim


CS85/C2 PRO


STANDARD FEATURES


-  **Mechanical suspension**
90 mm suspension travel


-  **Weight adjustment**
50 - 125 kg


-  **Height adjustment**
60 mm in 3 stages

-  **Heavy duty slide rails**


-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**

-  **Armrests**

-  **Headrest**

SEAT MEASUREMENTS



Seat is also available in PVC trim

CS85/H90 AR



STANDARD FEATURES

-  **Mechanical suspension**
90 mm suspension travel

-  **Weight adjustment**
50 - 125 kg

-  **Height adjustment**
60 mm in 3 stages


-  **Slide rail travel**
150 mm

-  **Backrest adjustment**
Foldable

-  **Armrests**

-  **Headrest**

SEAT MEASUREMENTS



Seat is also available in PVC trim

LGV84/TOP15





STANDARD FEATURES

-  **Small air suspension**
100 mm suspension travel

-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 - 140 mm

-  **Fore/aft isolator**


-  **Slide rail travel**
100 mm

-  **Backrest adjustment**
Foldable

-  **Armrests**

-  **Headrest**

SEAT MEASUREMENTS



Seat is also available in PVC trim

LGV84/C1



STANDARD FEATURES

-  **Small air suspension**
100 mm suspension travel

-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 - 140 mm

-  **Fore/aft isolator**


-  **Slide rail travel**
150 mm

-  **Backrest adjustment**

-  **Lumbar support**

-  **Headrest & armrests**

SEAT MEASUREMENTS



SIP: 320 mm





Seat is also available in PVC trim


LGV84/C6





STANDARD FEATURES


-  **Small air suspension**
100 mm suspension travel


-  **Weight adjustment**
50 - 120 kg

-  **Height adjustment**
80 - 140 mm


-  **Fore/aft isolator**

-  **Slide rail travel**
150 mm

-  **Backrest adjustment**

-  **Armrests**

SEAT MEASUREMENTS



SIP: 320 mm





Seat is also available in PVC trim


MGV84/C1




STANDARD FEATURES

-  **Small mechanical suspension**
100 mm suspension travel

-  **Weight adjustment**
50 - 120 kg

-  **Height adjustment**
80 - 140 mm

-  **Slide rail travel**
150 mm


-  **Backrest adjustment**

-  **Lumbar support**

-  **Armrests**

-  **Headrest**

SEAT MEASUREMENTS





Seat is also available in PVC trim


MGV84/5010 SM




STANDARD FEATURES


-  **Small mechanical suspension**
100 mm suspension travel

-  **Weight adjustment**
50 - 120 kg


-  **Height adjustment**
80 - 140 mm

-  **Slide rail travel**
150 mm

OPTIONAL FEATURES

- On photo*
-  **Headrest**

SEAT MEASUREMENTS



Seat is also available in fabric trim

MGV84/MI560

STANDARD FEATURES



Small mechanical suspension
100 mm suspension travel



Weight adjustment
50 - 120 kg




Height adjustment
80 - 140 mm



Slide rail travel
150 mm



SEAT MEASUREMENTS



SIP: 315 mm



MGV84/MI400

STANDARD FEATURES



Small mechanical suspension
100 mm suspension travel



Weight adjustment
50 - 120 kg




Height adjustment
40 - 140 mm



Slide rail travel
150 mm



SEAT MEASUREMENTS



SIP: 315 mm





Seat is also available in fabric trim


T600 AG





STANDARD FEATURES


-  **Rear pedestal mechanical suspension**
80 mm suspension travel

-  **Weight adjustment**
50 - 120 kg


-  **Height adjustment**
60 mm

-  **Slide rail travel**
160 mm

-  **Armrests**

-  **Seat belt**


SEAT MEASUREMENTS



SIP: 310 mm





Seat is also available in fabric trim





T700 & W700

STANDARD FEATURES


-  **Rear pedestal mechanical suspension**
80 mm suspension travel

-  **Weight adjustment**
50 - 120 kg

-  **Slide rail travel**
150 mm

-  **Sloping base adjustment**
from 12° to 25°

SEAT MEASUREMENTS



SIP: 285 mm



T700 & W700 both have an adjustable base

Mi400

STANDARD FEATURES


- Seat pan PVC with drainage
- Water- and weather proof
- Steel shell
- Black PVC

OPTIONAL FEATURES

- Contact switch
- Seat belt
- Slide rails
- Turntable
- Suspension



SEAT MEASUREMENTS



Mi560

STANDARD FEATURES


- Seat pan PVC
- Water- and weather proof
- Multi hole mounting pattern
- One piece foam with drainage

OPTIONAL FEATURES

- Contact switch
- Seat belt
- Slide rails
- Turntable
- Suspension



SEAT MEASUREMENTS





Yellow



Grey



Mi600


STANDARD FEATURES

- Heavy duty PVC
- Water- and weather proof
- Multi hole mounting pattern
- Plastic shell
- Black PVC

OPTIONAL FEATURES

- Contact switch
- Seat belt
- Slide rails
- Suspension
- Yellow PVC
- Grey PVC

SEAT MEASUREMENTS



Mi800


STANDARD FEATURES

- Seat pan PVC with drainage
- Water- and weather proof
- Plastic shell
- Black PVC

OPTIONAL FEATURES


- Contact switch
- Seat belt
- Slide rails
- Suspension

SEAT MEASUREMENTS





5010 VARIO





Sloping base adjustment




5010 VARIO SM (NARROW)

STANDARD FEATURES


 **Mechanical suspension**
90 mm suspension travel

 **Weight adjustment**
50 - 130 kg

 **Slide rail travel**
170 mm

 **Sloping base adjustment available**

SEAT MEASUREMENTS



SIP: 230 mm


5010 VARIO seat width: 490 mm




Seat is also available in fabric trim


MGV35 C (COMFORT VERSION)


STANDARD FEATURES

 **Mechanical suspension**
80 mm suspension travel

 **Weight adjustment**
50 - 155 kg

 **Slide rail travel**
180 mm


 **Operator presence switch**

 **Backrest adjustment**

 **Fold forward feature**

 **Seat belt**

SEAT MEASUREMENTS



SIP: 220 mm





Seat is also available in fabric trim
Meets EM1 to EM3 and EM5 to EM9


MGV55 (MID BACKREST)





STANDARD FEATURES


-  **Mechanical suspension**
80 mm suspension travel


-  **Weight adjustment**
50 - 155 kg

-  **Slide rail travel**
180 mm


-  **Operator presence switch**

-  **Backrest adjustment**

-  **Fold Forward feature**

-  **Seat belt**

SEAT MEASUREMENTS



Seat is also available in fabric trim
Meets EM1 to EM3 and EM5 to EM9

US20



STANDARD FEATURES

-  **Mechanical suspension**
40 mm suspension travel

-  **Weight adjustment**
60 - 120 kg


-  **Slide rail travel**
150 mm

-  **Slide rail adjustment**
150-328 mm in width

-  **Operator presence switch**

-  **Backrest adjustment**

SEAT MEASUREMENTS



Seat is also available in fabric trim

SEAT OPTIONS

Different types of armrests



Multi adjustable armrests



Air & mechanical suspensions



Slide rails



Various seat belts




Turntables



SEAT OPTIONS

Contact switch



Delta switch NO/NC



Fore/aft isolator



Heating



Joystick console



Headrests and custom logo



SPECIALTY PRODUCTS & BUILDS

Various builds and options for seats.
Further options available upon request.



LGV90/C7 Pro with pods



MGV35 with joystick armrest



C5 upper with logo

SEAT & BACK CUSHIONS

Fabric and PVC replacement cushions.
Further options available upon request.



SPECIALTY PRODUCTS & BUILDS

Custom build 2, 3 & 4-point seat belt.
Further options available upon request.



2-point Hi-Viz seat belt



3-point Hi-Viz seat belt



4-point red belt harness

2-, 3- AND 4-POINT SEAT BELTS

ALR/ELR type available.
Further options available upon request.

ON.151107



ON.151109



ON.150757S



ON.151108



ON.150756S



ON.150855





OFF ROAD **SEATING** MANUFACTURER

Custom **made in** Holland



At UnitedSeats we are dedicated to providing a quality service from the initial quotation to final product delivery. Our commitment to service, knowledge and product availability has made us the preferred source for your seating needs.

WWW.UNITEDSEATS.COM

